

bc designs
MARCH 2014 GUIDE



Contemporary
& Classical Baths
& Lighting

The Design Works,
Allens Farm, Tye Road,
Elmstead Market,
Essex CO7 7BN

Tel: **01206 827100**
Fax: **01206 827800**
Email: sales@bcdesigns.co.uk
www.bcdesigns.co.uk
www.bathroomlighting.co.uk

BC Designs continues to set the standard for quality for any discerning bathroom designer looking for something with a “WOW” factor:

BC Designs have increased their fabulous ranges of bath tubs to include offering for all areas of the bathroom market.



The Chairman of BC Designs, **Barrie Cutchie has been in the forefront of bathroom innovation and design for over 30 years.**

In 1979, he became the Founder, of BC Sanitan..the World famous Traditional Reproduction Sanitaryware Company who are generally recognised as the Company who started the trend for Traditional Bathrooms.

Barrie then continued the trend as Co-Founder of The Imperial Bathroom Company in 1988. Imperial continue to push the boundaries of classic bathroom design, enhancing some of the most beautiful homes in the World.

His companies are known to be “The First” in introducing the latest trends into the Bathroom Market, from the beautifully designed Bathroom Pullswitch and Aluminium Bateau Bath, to the exquisite Contemporary Range of Thinn solid surface baths which set a quality standard not beaten anywhere in the World.

BC Designs has been in existence for over 15 years and BC products can be bought from most of the better Bathroom Showrooms in the UK.

If you want the “**WOW**” factor..choose BC Designs.

BC



GOLD Standard Traditional baths

Dream of lounging in our solid cast aluminium Excelsior and Boat baths and give your bathroom a fantastic centrepiece. These unique baths are hand-polished to give an authentic feel of nostalgia, and are also available in a painted finish to complement your decor.



NO OTHER COMPANY USES OUR UNIQUE CIAN® MATERIAL

GOLD Standard Contemporary baths

The ultimate Solid Surface material.... our THINN range of baths Made from our UNIQUE CIAN® material. There is NO topcoat, NO Sprayed finish. Just SOLID colour all the way through. Cian® is an advanced blend of acrylic modified polyester resin and mineral fillers. Manufactured from the highest quality raw materials Cian® is made to stringent industry standards and makes our baths and basins... Durable, Stain resistant & Scratch resistant. Scratches and marks can be easily removed as the Cian® material goes all the way through. 10 Year guarantee. Most baths available in both Gloss and Matt finish.



SILVER Standard ACRYMITE baths

Manufactured using our excellent ACRYMITE system, the inner and outer of this varied range of baths have a solid acrylic outer AND inner joined together to give the look of the moment. We do not spray the whole of the outside of the bath with a thin Gel Coat like lower quality inferior imports.



Contents

CLASSIC

Cast Aluminium Boat Bath	4
Acrylic Boat Baths	6
New Acrylic Boat Baths	8
Excelsior Polished Aluminium	10
Excelsior Primed Aluminium	12
Excelsior Acrylic	14

CIAN

Senator	18
Fitzroy	20
Casini	22
Maximus	24
Aurelius Slipper	26

CONTEMPORARY

Paradise / Orchid	28
Thinn Kurv	30

CONTEMPORARY

Thinn Tasse	32
Thinn Gio	34
Thinn Vive	36
Thinn Feng	38
Thinn Shui	40
Thinn Delicata Slipper	42
Thinn Roundell	44
Thinn Kurvstone	46
Thinn Tassestone	48

ACRYMITE SYSTEM

Dinkee	52
Durata	54
Slipp	56
Chalice Major	58
Chalice Minor	60
Plazia	62
Ancora	63

ACRYMITE SYSTEM

Ovali	64
Angilo	66
Parama	67
Viado 1780mm	68
Viado 1580mm	69
Bath Accessories & Wastes	70-71

LIGHTING

Be Safe Lighting Guide	72
Mirror And Sockets	73
Pull Switches	73
Led Lights	74
Light Controls	77
Led Lights	78
Light Controls	79
Ledseal Downlights	80
Fire Rated Downlights	82

Boat bath

cast aluminium polished.



Polished solid cast aluminium

Cast In solid marine grade aluminium with a bonded Acrylic Liner for maximum heat retention. The classic BOAT (sometimes called a "Bateau" Bath) now suits both Contemporary and Traditional settings.


This Bath weighs approx 110 Kilos Capacity 150 litres.
See pages 70 & 71 for waste options.

code BAR205

IMPORTANT:

The solid cast outer of the Boat Bath is hand ground and polished. Inevitably, there are small pin holes and dimples as well as slight variations in the aluminium colour due to the rigorous polishing. These are part of the character of the baths and should be expected when ordering. Our objective in making these fine baths is to reproduce the "reclaimed bath" look of authenticity.

Solid cast aluminium primed



All Dimensions are approximate due to shrinkage
Overflow Hole 51mm Diameter
Distance from Top of Bath 75mm
Distance from Bottom of Bath 400mm
Weight Approx. 110Kilos



Choose any Farrow and Ball colour available in an eggshell finish.

Made in the same marine grade aluminium as the polished version, This bath comes with a primed outer ready for painting to suit your decor.

code BAR210


We can paint these baths for you

Choose any Farrow and Ball colour available in an eggshell finish.

Cost of painting
code BAZ901

Please allow up to 14 working days for delivery depending on colour availability

The Boat Bath can ONLY take a plug and chain waste or push-down waste. See page 71
This bath weighs approx 110 Kilos Capacity 150 litres





1700 x 750mm double-skinned Acrylic

A Top quality Boat bath (sometimes called a "Bateau bath") with acrylic inner and outer which can be used in Contemporary and Traditional settings.

The Boat Bath can ONLY take a plug and chain waste or push-down waste... see page 71 for options. This Bath weighs approx 37 Kilos Capacity 190 litres (With average person 70 Kilos ..120 Litres)

code BAS065



1800 X 800mm double-skinned Acrylic

A bigger Boat bath to give you more room to lounge and relax. Supplied with white gloss outer as standard or can be painted to suit your decor.

code BAS070

The Boat Bath can ONLY take a plug and chain waste or push-down waste... see page 71 for options.

We can paint these baths for you

Choose any Farrow and Ball colour available in an eggshell finish.

Cost of painting
code BAZ901

Please allow up to 14 working days for delivery depending on colour availability.

This Bath weighs approx 45 Kilos Capacity 220 litres (With average person 70 Kilos ..150 Litres)

Acrylic boat bath







NEW! 1580 x 750mm double-skinned Acrylic

Following the many requests we received for a smaller bath, we are pleased to introduce the new 1580mm Boat Bath. It still has a good bathing area and should make a wonderful addition to the more traditional designs. However as you can see the painted Boat baths can be used in both modern and traditional rooms.

The Boat Bath can ONLY take a plug and chain waste or push-down waste... see page 71 for options. This bath weighs approx 36 Kilos Capacity 180 litres (With average person 70 Kilos .. 110 Litres)



code BAS063

We can paint these baths for you

Choose any Farrow and Ball colour available in an eggshell finish.

Cost of painting code BAZ901

Please allow up to 14 working days for delivery depending on colour availability. Please check the colour against a Farrow & Ball colour chart before ordering as the hue may differ to those shown above due to photographic and printing variations.



cooking apple 32



chappell green 83



citron 74



charleston grey 243



brassica 271



dead salmon 28



radicchio 96



pelt 254

Excelsior Polished Cast Aluminium with Plinth

Plinth can be removed to ease weight and access issues when moving the bath

code BAR030

This bath can take the following waste options:
 standard plug and chain
 exposed plug and chain
 push down exposed or concealed
 pop-up exposed or concealed (see page 71 for waste compatibility)





IMPORTANT: Customers please note.

When a U-bend is fitted to the Bath with Plinth, it will protrude below the floor level. Therefore, a small recess will have to be made under the bath to fit all wastes. Allow a minimum of 40mm below the floor for this. The plinth will hide this recess and waste fittings.

There is a small mouse hole in the rear of the bath plinth to allow for waste exit pipe.

IF YOU DO NOT WISH TO HAVE THE MOUSE HOLE PLEASE STATE WHEN ORDERING.



All Dimensions are approximate due to casting shrinkage

In solid cast aluminium with polished ball & claw feet





Excelsior Polished Cast Aluminium with Feet

These baths weigh approximately 110 kilos.
 Feet or plinth can be removed for ease of installation.

code BAR035

These baths can take the following waste options:
 standard plug and chain
 exposed plug and chain
 push down exposed or concealed
 pop-up exposed or concealed (see page 71 for waste compatibility)

IMPORTANT: The solid cast outer of the Excelsior bath is hand ground and polished. Inevitably, there are small pin holes and dimples as well as slight variations in the aluminium colour due to the rigorous polishing. These are part of the character of the baths and should be expected when ordering. Our objective in making these fine baths is to reproduce the "reclaimed bath" look of authenticity.



All Dimensions are approximate due to casting shrinkage +/- 5%. Water capacity 190 litres.

Excelsior in solid cast aluminium.

Cast in solid marine-grade aluminium with a bonded acrylic liner for maximum heat retention
 This beautiful hand polished bath now suits both contemporary and traditional settings.



Please note: there is a mouse hole cut in the rear of the plinth as standard. Please specify if you require plinth without cut out.



Excelsior in solid cast aluminium primed with plinth.

Please note: there is a mouse hole cut in the rear of the plinth as standard. Please specify if you require plinth without cut out.



Excelsior solid cast Aluminium bath Primed with primed plinth

code BAR005

IMPORTANT: Customers please note.

When a U-bend is fitted to the Bath with Plinth, it will protrude below the floor level. Therefore, a small recess will have to be made under the bath to fit all wastes. Allow a minimum of 40mm below the floor for this. The plinth will hide this recess and waste fittings.

There is a small mouse hole in the rear of the bath plinth to allow for waste exit pipe.

We can supply without the mouse hole for under-floor installation. Please state when ordering.



Primed with polished plinth

Primed with feet



Excelsior Primed with polished aluminium plinth

code BAR009

We can paint this bath for you

Choose any Farrow and Ball colour available in an eggshell finish.

Cost of painting
code BAZ901

Please allow up to 14 working days for delivery depending on colour availability.
Paint is applied by roller and brush.

Cast in solid aluminium coated with a black primer - ready to paint in a colour to match your scheme (see page 10 for dimensions).

These baths weigh approximately 110 kilos.
Feet or plinth can be removed for ease of installation.

These baths can take the following waste options:
standard plug and chain
exposed plug and chain
push down exposed or concealed
pop-up exposed or concealed
(see page 71 for waste compatibility)

Excelsior primed with Ball & Claw feet

code BAR010



Doubled-skinned acrylic



A fine quality double skinned acrylic bath with either polished aluminium plinth or polished feet. This double ended slipper bath will give you years of comfortable use with a deep inner for maximum bathing space. These baths weigh approximately 65 kilos. Feet or plinth can be removed for ease of installation.

This bath can take the following waste options:
standard plug and chain
exposed plug and chain
push down exposed or concealed
pop-up exposed or concealed (see page 71 for waste compatibility)

Excelsior white acrylic with polished plinth

code BAR015



Note: this white bath can be painted on the outside. It must be keyed with abrasive paper & primed before painting. Choose a water based primer with a water based top coat or an oil based primer with an oil based top coat. Do not use any material which contains thinners and test a small hidden area of the bath before proceeding.

We can paint this bath for you

Choose any Farrow and Ball colour available in an eggshell finish.

Cost of painting
code BAZ901

Please allow up to 14 working days for delivery depending on colour availability. Paint is applied by roller and brush.




Excelsior white acrylic with ball & claw feet

code BAR020

IMPORTANT: Customers please note.

When a U-bend is fitted to the Bath with Plinth, it will protrude below the floor level. Therefore, a small recess will have to be made under the bath to fit all wastes. Allow a minimum of 40mm below the floor for this. The plinth will hide this recess and waste fittings.

There is a small mouse hole in the rear of the bath plinth to allow for waste exit pipe
(The plinth is a cast aluminium product polished by hand - blemishes such as dimples, small holes etc are part of the bath's character and should not be deemed as faults. There may be colour differences on the outside of the plinth brought out by the rigorous polishing and variations in the aluminium.)



Excelsior white acrylic with aluminium plinth
also available with ball & claw feet.

Please note: there is a mouse hole cut in the rear of the plinth as standard. Please specify if you require plinth without cut out.



NO OTHER COMPANY USES OUR UNIQUE CIAN® MATERIAL



“ When we were designing the baths we had to find a material which was

- Durable
- Stain resistant
- Scratch resistant
- Non Porous
- Guaranteed
- Resistant to thermal shock
- Non-yellowing
- Repairable

We found CIAN® the Solid Surface Material ... now relax!



What is Cian® Solid Surfacing?

Cian® Solid Surfacing is a renewable decorative surface material manufactured from an advanced blend of acrylic modified polyester resin and mineral fillers. Manufactured from the highest quality raw materials Cian® Solid Surfacing is made to stringent industry standards. It is a colour throughout material providing all the incredible benefits of solid surfacing.

Main properties

- Durability
- Stain resistance
- Scratch resistance
- Non-porous
- Easy maintenance
- Guaranteed
- Warm to the touch
- Thermal shock resistance

Durability

Cian® Solid Surfacing will withstand the rigours of everyday exposure.

Stain resistance

Cian® Solid Surfacing is stain resistant. Grease leaves no after trace because of Cian's® non-porous properties.

Scratch resistance

Light scratches can be removed with water paper and polishing compound.

Non-porous

Unaffected by fluctuating moisture ingress and humidity, Cian® Solid Surfacing is for all practical purposes 100% non-porous.

Easy maintenance

A daily wipe using a non-abrasive cleaning agent will keep the surface clean. It is resistant to deterioration and minor damages can be polished or repaired.

Guarantees

Cian® Solid Surfacing has a ten year limited warranty.

Advantages

This product is a non-porous, hygienic, stain and chemical resistant, repairable material. As a result of its solid homogeneous properties and colour throughout the material, the appearance of Cian® will retain its original beauty for many years with minimum maintenance required.

Thermal shock

Cian® Solid Surfacing complies with Din 198 standards in this regard.



Senator Bath

We make the most amazing baths! The Senator bath is a fantastic bath made from CIAN. The colour goes all the way through...no thin Gel coat to break through...no hollow ringing sound... Scratches and marks can be easily removed.

CAN BE SUPPLIED WITH OR WITHOUT BUN FEET.

With a built in waste set in the solid walls of the bath, this is a fantastic centrepiece for your bathroom with a HUGE bathing area. We have tried to replicate the feel and look of the original CERAMIC finish which was applied to the old Fireclay baths such as those made by Twyford's at the beginning of the 20th Century, so please note that, although the finish is very smooth, there will be slight undulations and variations which make these hand finished baths individual and unique. We use modern techniques and materials to create a step forward in classical bath design.


The Senator bath enhances both contemporary and classic bathrooms.

Price without feet

code BAB045

Price with feet

code BAB045+BAB047



Dimensions: 1804mm x 850mm x 615mm

The Senator Bath can ONLY take a plug and chain waste or pop-up waste see page 71 for options.
This Bath weighs approx 130 Kilos
Capacity 190 litres (With average person 70 Kilos ..130 Litres)

Senator Bath

Available with or without bun feet.





The Fitzroy Bath

Fashioned from an ORIGINAL Fireclay Bath, the SOLID CAST Fitzroy Bath is a generously deep bath with a similar feel to the original Bath. Made from our Unique Solid Surface Material Cian® in either Gloss or Matt finish, it is one solid colour all the way through..so scratches and marks can be easily removed and there is no enamel or gelcoat surface coating to breach, giving you years of comfort in use.The Cian® Material is also warm to the touch and has excellent heat retaining properties.

The NEW FITZROY Bath has a built-in tap ledge to allow you to fit your favoured brassware.

The tapledge is recessed down into the rim and can be left un-drilled if you wish to use floor-mounted legs and a bath mixer behind the end of the bath. Some customers use the recess as a soap dish.




A truly magnificent and authentic bath.

Comes with 4 Solid Cast ball feet made from Cian®

code BAB049

The Fitzroy can ONLY take a plug and chain waste or push-down waste... see page 71 for options.

This Bath weighs approx 110 Kilos Capacity 190 litres
(With average person 70 Kilos ..120 Litres)



FITZROY Bath
made from Cian®.
Available from April 2014

Casini free standing bath.



Available from end of April 2014

Casini bath... FIRST AGAIN!

BC Designs again comes up with the best in solid surface baths!

The CASINI is a fantastic, solid cast one-piece bath made from CIAN. The colour goes all the way through... no thin Gel coat to break through...no hollow ringing sound... Scratches and marks can be easily removed. CASINI is truly a magnificent bath to enhance any bathroom, modern or traditional. CASINI has a good size interior for a bath of this size because of the slim rim.

Bored with bland copies of tired old originals?

Try our stunning new approach to the problems of blending the old with the new...
To suit both the most contemporary and the most traditional of settings...
This is a real step forward in classical bath design.


*This bath has a Matt finish on the outside and a Gloss finish on the inside

The CASINI comes with NO OVERFLOW only Size: 1680mm x 750mm x 560mm high +/-5%

Weight approx. 120 kilos
Water capacity: 180 litres

code BAB035

Waste when ordered separately



IMPORTANT: The waste outlet for the Casini Bath must always exit under the floor.
Please make sure you check this before ordering the bath.

Cast in Cian®

BC Designs proudly introduces the MAXIMUS Bath. Totally unique in its grandeur and quality. There is nothing like it anywhere in the world. MAXIMUS is cast in one-piece from our unique Cian® material... solid colour all the way through. It is completely solid... no thin gel coat.



The detailing in the bath is achieved by hours of hand work and polishing
PLEASE NOTE: The Maximus has a surprisingly massive bathing area for a bath of this size

code BAB034



The over flow is cast seamlessly into the body of the bath
Size 1680mm x 750mm x 570mm

A chrome push down waste and flexible outlet pipe are supplied with this bath. Installation should be with the waste exiting under the floor, so please allow for this when specifying this bath. Contact BC Designs if above floor waste installation is required.

Push down waste – chrome only – Supplied

when supplied separately

Note: We have tried to replicate a ceramic finish, originally applied to early fireclay baths. The surface will have minor undulations to give the feel of these classic baths.
Weight 120 kilos.
Water capacity 190 litres.



Dimensions can differ +/- 5%



Aurelius Slipper


With a huge bathing area for such a small bath, we have given the AURELIUS SLIPPER Bath a look which will suit both contemporary and classical bathrooms.



Aurelius Slipper

Once again, the Aurelius Slipper pushes the boundaries of solid surface technology to give you the best in Classical styling using the latest materials.

Cast in one-piece from our unique Cian®... solid colour all the way through, the Aurelius Slipper is both stylish and comfortable. Because of the Thinn rim, this bath has a huge bathing area.



Dimensions can differ +/- 5%

Aurelius Slipper Bath

New Lower Price
code BAB031

The over flow is cast seamlessly into the body of the bath
Size 1598mm x 785mm x 736mm (max)


A chrome push down waste and flexible outlet pipe are supplied with this bath.

The U-Bend must always go below floor level, so please allow for this when specifying this bath.


Note: We have tried to replicate a ceramic finish, originally applied to early fireclay baths. The surface will have minor undulations to give the feel of these classic baths.
weight approx 110 kilos
water capacity 170 ltrs

Aurelius basin
code BAB130

Push down waste for basin
code WAS220



Aurelius basin does not have an overflow.



Paradise & Orchid

The PARADISE® & ORCHID® baths are cast in Cian® Solid Surface material for a back to nature feel. These baths are both comfortable and spacious. Available in Gloss or Matt finish.



PARADISE®

NO OTHER COMPANY USES OUR UNIQUE CIAN® MATERIAL



ORCHID®

Please note: the Orchid bath has a hint of leaf ribbing in the petal shape on the front and rear of the bath.



Paradise & Orchid

Setting a new standard in solid surface technology. Relax and go back to nature with the fabulous Paradise and Orchid baths. Cast in one piece in our unique Cian® solid surface material Paradise and Orchid give you a huge bathing area in which to relax and dream.

These baths weigh approximately 116 kilos
Water capacity - 180 litres

Paradise bath
price reduced
code BAB040

Orchid bath
price reduced
code BAB060

Comes complete with flexible outlet pipe. The PARADISE® & ORCHID® baths are normally supplied with built-in overflow. Non overflow can be supplied to order. Please allow 8-10 weeks for delivery for these options.

The overflow channel is hidden inside the body of the bath. We recommend that installation is with the waste exiting under the floor. If above floor waste installation is required, contact BC Designs for advice regarding the correct method for doing this.




Push down waste - chrome only supplied

when bought separately

Dimensions are the same for both the PARADISE® & ORCHID® baths.

Paradise/Orchid basin
code BAB140

Paradise/Orchid basin
does not have an overflow.
Push down waste for basin
code WAS220






Thinn Kurv

Our KURV solid-surface bath is a combination of trend setting design and technical achievement. The minimalist KURV bath is both comfortable and stylish to enhance any bathroom. Being rimless, KURV gives maximum bathing area.

Thinn Kurv

With the standard KURV bath the waste pipe needs to be run under the floor. If the waste has to run above the floor, you can order an additional plinth to raise the level of the bottom of the bath.




Dimensions +/- 5%

These baths weigh approximately 94 kilos
Water capacity - 180 litres
code BAB005

The overflow channel is hidden inside the body of the bath and this bath comes supplied with a flexible waste outlet pipe and a push down waste chrome only

When ordering please state with or without overflow.

Push down waste when bought separately





Kurv with plinth
code BAB007

The KURV can also be ordered with a matt finish.

Kurv basin
code BAB105

Push down waste for basin
code WAS220



Bathroom designed by
Rigby & Rigby Ltd.
Rigbyandrigby.com





Thinn Tasse

available in either Gloss or Matt finish from stock.
 The TASSE solid surface bath, for lovers of oval designs,
 gives a good bathing area within a delicate look.

GB Registered Design No. 4007910.
 © copyright BC Designs
 this product is design registered.
 Action will be taken against copyright infringement.



Thinn Tasse



With room beneath to allow the waste above or below the floor level, the TASSE is supplied complete with push down waste and flexible waste outlet pipe.

We recommend that installation is with the waste exiting under the floor. If above floor waste installation is required, contact BC Designs for advice regarding the correct method for doing this.

These baths weigh approximately 92 kilos
 Water capacity - 180 litres


Tasse bath
 code BAB010

Tasse basin
 code BAB110


The Tasse bath and basin can be ordered in a MATT finish to order:

Push down waste for basin
 code WAS220

Chrome only
 Push down waste (when bought separately).



Tasse basin





Thinn Gio

With the GIO bath the U-Bend generally needs to be run under the floor:

These baths weigh approximately 94 kilos
Water capacity - 180 litres

code BAB062

The overflow channel is hidden inside the body of the bath and this bath comes supplied with a flexible waste outlet pipe and a push down waste chrome only.



Push down waste

when bought separately

Gio basin
code BAB110

GIO is available in both a Gloss and Matt finish.


Push down waste for basin
code WAS220



Dimensions can differ +/- 5%



Gio/Tasse basin



Thinn Gio



For the true Egg-Shape choose GIO to finish your bathroom beautifully.
The spacious GIO bath fits a lot of bathing area in a smaller space
GIO is the archetypal EGG-SHAPED bath.

Thinn Vive

Small size but big interior VIVE is the essence of pure simplicity. The VIVE bath for a clean contemporary feel for your bathroom scheme. VIVE is just 1610mm long but has a large interior for a bath of this size.



Thinn Vive



Dimensions can differ +/- 5%

With the VIVE bath the waste pipe generally needs to be run under the floor.

These baths weigh approximately 94 kilos
Water capacity - 180 litres

code BAB064

The overflow channel is hidden inside the body of the bath and this bath comes supplied with a flexible waste outlet pipe and a push down waste chrome only. VIVE is available in both a Gloss and Matt finish.

Push down waste (when bought separately).

Push down waste for basin

code WAS220


VIVE basin

code BAB064

The VIVE can be ordered without overflow to order. Please allow a minimum of 8-10 weeks for delivery for this option.



Vive basin





Thinn Feng

For the lovers of the trend for square fittings, the FENG bath gives space and a surprising amount of comfort.

These baths weigh approximately 105 kilos
 Water capacity - 190 litres
 code BAB015


We recommend that installation is with the waste exiting under the floor. If above floor waste installation is required, contact BC Designs for advice regarding the correct method for doing this.

Push down waste Chrome only when bought separately

The FENG can be ordered without overflow to order.
 Please allow a minimum of 8-10 weeks for delivery for this option.

Feng basin
 code BAB115

Push down waste for basin
 code WAS220




Dimensions can differ +/- 5%



GB Registered Design No. 4007909.
 © copyright BC Designs this product is design registered. Action will be taken against copyright infringement.



FENG basin



Thinn Feng

Available in either a Gloss or Matt finish from stock.
 The FENG is a rimless bath, which is cast in one piece with a hidden overflow pipe built into the body. Ergonomically designed in solid colour Cian®.

Thinn Shui

Available in either a Gloss or Matt finish from stock.

The SHUI bath was designed from the inside out - that is with the prime expectation that the bath should give comfort and space in a classically simplistic design.



Bathroom designed by Rigby & Rigby Ltd. - Rigbyandrigby.com

GB Registered Design No. 4007911.
© copyright BC Designs this product is design registered.
Action will be taken against copyright infringement



Thinn Shui

Cast in one piece from Cian®. This delicate yet solid bath enhances both contemporary and classic bathrooms.

The overflow is seamlessly cast into the body.

Chrome push down supplied waste only.


This bath weighs approximately 89 kilos
Water capacity - 180 litres

code BAB025

Push down waste (when bought separately).


We recommend that installation is with the waste exiting under the floor. If above floor waste installation is required, contact BC Designs for advice regarding the correct method for doing this.

The SHUI can be supplied without overflow to order. Please allow a minimum of 8-10 weeks for delivery for this option.



Shui basin
code BAB125

Push down waste for basin
code WAS220





The Thinn Delicata has a huge bathing area for its size.
The overflow is built into the skin of the bath at the lower end.

Supplied with a push down waste in Chrome only.

These baths weigh approximately 92 kilos
Water capacity - 190 litres.

code BAB020

We recommend that installation is with the waste exiting under the floor. If above floor waste installation is required, contact BC Designs for advice regarding the correct method for doing this.

Push down waste (when bought separately).


When ordering please state with or without overflow.

The DELICATA can be supplied without overflow to order.



Please allow a minimum of 8-10 weeks for delivery for this option.

Delicata basin
code BAB120

Push down waste for basin
code WAS220



Delicata Basin




Thinn Delicata Slipper

available in either Gloss or Matt finish from stock.

DELICATA - a slipper bath for contemporary bathrooms designed with comfort in mind and manufactured in a one piece solid casting from Cian®.

A warm colour-through material.



GB Registered Design No. 4007912.
© copyright BC Designs this product is design registered.
Action will be taken against copyright infringement.



Thinn Roundell

Available in either Gloss or Matt finish from stock.

The ROUNDCELL solid surface bath is cast in our unique CIAN® material. The colour goes all the way through...not just a thin top coat as is normally found on this shape of bath.



Thinn Roundell

Cool elegance with a simple geometric shape. This classic circular design, 1400mm in diameter with a water capacity of 220 litres is stylish and unusual and very comfortable.

These baths weigh approximately 120 kilos
Water capacity 220 litres

Roundell bath
New Lower price
code BAB037

The Roundell is supplied complete with a Push-down waste and flexible waste pipe. The U-Bend must always go below floor level, so please allow for this when specifying this bath. Contact BC Designs if above floor waste installation is required.

Size 1400mm in diameter x 550mm high


Push down waste - chrome only
(when bought separately).

Roundell basin
code BAB137

Roundell basin does not have an overflow.



Push down waste for basin
code WAS220

The ROUNDCELL can be supplied without overflow to order. Please allow a minimum of 8-10 weeks delivery for this option. This bath is design registered. Action will be taken against copyright infringement



Dimensions can differ +/- 5%

Roundell Basin



Roundell has no overflow.



Thinn Kurvstone new cianstone baths

Kurvstone Cianstone Bath with built in overflow.

KURVSTONE is a combination of solid-surface technology and design. There is a maximum amount of internal bathing area as the bath is rimless. The KURVSTONE is both comfortable and stylish. An overflow channel is cleverly hidden in the wall of the bath, but please note there is a 2mm overflow cover block on the outside of the bath to facilitate this (see picture).

A KURVSTONE bath WITHOUT OVERFLOW can be supplied to order.

The non overflow bath does not have the block on the outside. Allow up to 8-10 weeks delivery for this option.

As with the Standard Kurv bath, the waste has to be run under the floor as there is no room beneath the bath for a standard U-Bend.


Comes supplied with chrome push down waste and flexible outlet pipe.

Kurvstone Bath

With or without overflow


New Lower price

code BAB006



Dimensions can differ +/- 5%

Kurvstone Basin
code BAB106



Overflow cover block



Thinn Kurvstone

Following the success of the BC Designs white Thinn range of Cian® Baths, we introduce Cianstone® Stone-look baths which have a wall thickness of 20-25mm.

Cianstone is a warm material which retains water temperature and is very stable. Minor scratches and dents can be easily removed as it is a solid mix of colour all through the body of the bath.

Thinn Tassestone

For lovers of the egg shaped bath, we introduce the TASSESTONE solid surface bath. A delicate bath which is very comfortable in a natural stone flecked finish.



Overflow Cover Block



Thinn Tassestone cianstone baths

The TASSESTONE solid surface bath is for lovers of the oval design. This delicate, yet sturdy bath has a rimless design to give comfort in a large bathing area. Supplied with a built in overflow to keep the simplistic design, and also a waste and flexible waste pipe outlet for ease of installation.


The rimless design gives maximum bathing area. There is enough room in the cavity below the bath to accommodate a U-bend. We recommend that installation is with the waste exiting under the floor. If above floor waste installation is required, contact BC Designs for advice regarding the correct method for doing this.

Please note: there is a 2mm overflow cover block on the outside of the bath to facilitate this (see picture). The non overflow bath does not have the block on the outside.

A TASSESTONE bath WITHOUT OVERFLOW can be supplied to order. Allow up to 12 weeks delivery for this option.


Comes supplied with chrome push down waste and flexible outlet pipe.

Tassestone Bath
With or without overflow
code BAB011



Dimensions can differ +/- 5%

Tassestone Basin
code BAB111



Introducing the Acrymite System



Our excellent range of double-skinned acrylic baths using the Acrymite system with 3 new additions.

Why is our Acrymite system so good?

We do not spray the whole of the outside of the bath to get our seamless finish where the inner and the outer Acrylic skins are joined. Scratches and marks can be easily removed as the outer is solid acrylic sheet, and there is no thin gel coat to break through.



New Dinkee Acrymite Acrylic Bath

New Dinkee bath


It's not a toy... IT'S A DINKEE!

The fabulous solution to lack of space in the smaller bathroom. DINKEE has a big bathing area for a bath of this size..and is both lovely to look at and of great quality. Because of the thin rim you get maximum bathing area with an excellent degree of comfort.

code BAS012

Supplied with no tap holes


The Dinkee Bath is supplied with a Chrome Push-Down Waste and Overflow cover only.






Wall-Mounted Version

Free-Standing version
(will not go flat against a wall)



Wall-Mounted version
(to go against the wall)



Durata Wall-Mounted or Free-Standing

A very spacious Bath manufactured using our Acrymite system® giving you the ultimate bathing experience in minimalist luxury allowing enough space for 2 to luxuriate in splendour.

The panel and bath are cleanly formed into one to give clean lines and a stylish look.

There are 2 versions: Wall-Mounted - which has a recess for pipework and 2 square corners at the back.

Free-Standing - which has 4 rounded corners.

The U-Bend must always go below floor level, so please allow for this when specifying this bath.

Tap holes can be drilled by the customer to suit.

Maximum size

1830mm x w. 920mm x h. 610mm

weight approx 54 kilos

Capacity 340 litres (With average person 70 Kilos ..270 Litres)

Durata Wall-Mounted bath
code BAS045

Durata Free-Standing bath
code BAS050

(see page 71 for waste compatibility)

Please specify either Wall-Mounted or Free-Standing when ordering.

Durata
Wall-Mounted or Free-Standing



Free-Standing Version

Slipp bath

This double skinned acrylic bath has a decent bathing area for such a small size and will give a stylish look where space may be at a premium


code BAS035

Supplied with no tap holes

The Slipp Bath is supplied with NO overflow only

Supplied with Chrome Push-Down waste only

IMPORTANT:The Slipp Bath has limited space in the recess under the bath ..therefore the waste outlet will always have to go beneath the floor. Please check when ordering.



These baths weigh approximately 44 kilos
Capacity 195 litres (With average person 70 Kilos ..125 Litres)

Slipp Bath

A traditional slipper shape bath brought into the future.
Made using our Acrymite system®, the SLIPP bath is both comfortable and stylish.

Chalice Major Bath

A beautiful timeless design in which to while away the hours in luxurious comfort.



Chalice Major bath

Our CHALICE MAJOR bath is a real architectural centrepiece for any bathroom. The ideal bath for a long luxurious soak.

Made using our excellent Acrymite system[®], the CHALICE MAJOR is made from an inner and an outer acrylic shell joined together to give a look of much more expensive baths at a very reasonable cost.

The CHALICE MAJOR comes only with built in tap ledge.



Note: The U-bend must always go below the floor level, so please allow for this when specifying this bath.

code BAS015

Capacity 270 litres (With average person 70 Kilos ..200 Litres)

Recommended waste chrome push-down (not included).

(see page 71 for waste compatibility)



Dimensions can differ +/- 5%

Introducing our NEW Chalice Minor Bath

Available April 2014



Chalice Major's smaller brother has no tap ledge and is manufactured using our Acrylic Acrymite system. There is a lot of space inside this beautiful bath because of the slimness of the rim so you get maximum bathing area

Note: We always recommend that the U-Bend should exit under the floor. Please check the dimension drawing for other options.

code BAS016

Weight 40 Kilos. Water Capacity 240 litres
(With average person 70 Kilos ..170 Litres)

Comes complete with a chrome only
Push-Down waste and chrome slotted overflow.



Dimensions can differ +/- 5%



Chalice Minor Bath

A beautiful timeless design in which to while away the hours in luxurious comfort.


Plazia Bath

The Classic modern free-standing bath for the contemporary bathroom. The clean lines of the Plazia Bath will complement any sanitaryware choice.



Ancora Bath

The Ancora gives the customer the free-standing contemporary back-to wall look with the benefit of a straight line at the back for a good water seal when fixed against tiles.



Plazia

The Plazia is a step forward in design against baths where you can see a distinct join between the inner and outer panel.

Designed with comfort in mind, the PLAZIA will complement most contemporary bathroom designs


Weight approximately 45 kilos

Capacity 230 litres (With average person 70 Kilos ..160 Litres)


code BAS040

Supplied with Chrome Push-Down waste only

Taps cannot be fitted to the rim of this bath. **IMPORTANT:** The Plazia bath has limited space in the recess under the bath ..therefore the waste outlet will always have to go beneath the floor. Please check when ordering.



Dimensions can differ +/- 5%



Ancora

The Ancora and Plazia baths are manufactured using our excellent Acrymite system®. The inner & outer of the baths are joined to give clean and modern lines

code BAS055

Weight approximately 45 kilos

Water capacity 200 Litres

Taps can be added to the rim of this bath. There is a purpose made platform situated dead centre along the rear edge of the bath.


(see page 71 for waste compatibility)

Recommended waste chrome push-down (not supplied).


code WAS040

Note: The U-bend must always go below the floor level, so please allow for this when specifying this bath.

Waste to be bought separately.



Dimensions can differ +/- 5%



Ovali Bath

The Fantastic egg-shaped design of OVALI makes a definite design statement to give you a stunning centrepiece for your bathroom. Created using our excellent Acrymite system®, the OVALI is made from an inner and an outer acrylic shell joined together to give a smooth finish on the outside. It is priced very reasonably for a bath of this stature.

Supplied with Chrome Push-Down waste only.

code BAS020

Weight approx 45 Kilos. Capacity 258 litres
 (With average person 70 Kilos ..188 Litres)



Ovali Bath

This classic shaped and affordable OVALI bath finishes everything off beautifully.



Angilo Bath

A great choice of two oblong baths. The Angilo and Parama are fitted with integrated bath panels, one for tapholes and one for free standing tapware.



Parama Bath



Angilo Bath

ANGILO with integrated bath panels ready fixed to give you a stylish clean look and a large bathing area. The ANGILO is designed with internal back support for extended lounging. The rim of ANGILO is wide enough to fit your choice of Brassware, or you can wall mount the taps should you choose this option. Check with us before ordering brassware in the case of larger than normal taps. Manufactured using our excellent Acrymite system®. It is priced very reasonably for a bath of this stature.



code BAS025

Weight approx 65 kilos. Capacity 290 litres (With average person 70 Kilos ..220 Litres)

Supplied with inbuilt overflow with chrome cover only.

Supplied with Chrome Push-Down waste only

Note: The U-bend must always go below the floor level, so please allow for this when specifying this bath.



Dimensions can differ +/- 5%

Parama Bath

PARAMA with the bath panels ready fixed has a slimmer rim to maximise the large bathing area. The design is very much current to fit in with modern trends for clean lines in the bathroom.

Brassware cannot be fitted to the rim of the bath and should be either wall or floor mounted.



Note: The U-bend must always go below the floor level, so please allow for this when specifying this bath.

code BAS030

Weight approx 63 kilos. Capacity 220 litres (With average person 70 Kilos ..150 Litres)

Supplied with Chrome Push-Down waste only

Will not take a Pop-Up Waste or Exofill style waste system.




Dimensions can differ +/- 5%

Viado 1780mm Bath

This understated elegant design will create a wonderful symmetry in your bathroom.

Viado 1780mm bath



Dimensions can differ +/- 5%

Viado is an excellent free-standing bath with an integral outer panel. Manufactured to incorporate a hidden overflow using our excellent Acrymite system® for strength and reliability. VIADO is available in 2 sizes..(see next page) to fit into most bathroom areas.

Manufactured using our Acrymite system, the VIADO is made from an inner and an outer acrylic shell joined together seamlessly to give a smooth finish on the outside.

Its competitive price makes it a must for your bathroom design.

Note: The U-bend must always go below the floor level, so please allow for this when specifying this bath.


code BAS010

Weight approx 55 kilos. Capacity 265 Lites
(With average person 70 Kilos ..195 Litres)

Supplied with Chrome Push-Down waste only.

Viado 1580mm Bath

Viado 1580mm bath



Dimensions can differ +/- 5%

Manufactured using our excellent Acrymite system®, the VIADO 1580mm is made from an inner and an outer acrylic shell joined together to give a smooth finish on the outside. Because of the slim rim design, there is a lot of internal space inside the VIADO 1580mm which gives an unexpectedly large bathing area for a bath of this size.

Brassware must be wall or floor mounted.

Supplied with Chrome Push-Down waste only.

Weight approx 45 kilos. Capacity 225 Lites
(With average person 70 Kilos ..155 Litres)

Supplied with built in overflow with chrome cover only.

Note: The U-bend must always go below the floor level, so please allow for this when specifying this bath. The basins in the setting are not supplied by BC Designs.

code BAS005



Bath Accessories & Wastes



push down concealed bath waste & overflow WAS040 chrome



click clack basin waste unslotted basin waste for Thinn basins chrome



pop-up concealed bath waste with 600mm tube WAS005



flexible supply tubes for standpipes (pair) WAS099 chrome



pop-up thick wall concealed bath waste WAS007 chrome



exposed bath waste/plug and chain with overflow pipe WAS030 chrome

gold or polished nickel

gold or polished nickel

push down exposed extended waste WAS050 chrome



exposed low bath trap with adaptor & pipe (40-42mm) WAS080 plus waste pipe 680mm x 220mm and flange cover chrome

gold or polished nickel P.O.A.

gold or polished nickel

concealed bath waste/plug and chain (not shown)

WAS020 chrome

gold or polished nickel



over edge standpipes WAS090 chrome

exposed pop-up bath waste with metal overflow pipe (not shown)

WAS060 chrome

gold or polished nickel

Important: If any of these issues are critical please contact our sales office and confirm details, as specifications can and do change from time to time without warning. BC Designs recommend installation decisions are made with the bath/basin on site. We cannot accept any liability for incorrect information unless it has been confirmed in writing and the product is supplied within one month of the date information is given.

	Tap Holes Can be Self Drilled	Waste supplied FOC with Bath	Trap must go under floor	Under Bath Void In mm	Can be Painted Or Matted Down	WAS007 POP UP Thick Wall Concealed Bath Waste (EXCELSIOR)	WAS020 PLUG & CHAIN Concealed Bath Waste	WAS030 PLUG & CHAIN Exposed Bath Waste	WAS040 PUSH DOWN Concealed Bath Waste & Overflow	WAS050 PUSH DOWN Exposed Bath Waste	WAS060 POP UP Exposed Bath Waste With Metal Overflow Pipe	WAS080 BATH TRAP Exposed Low With Adaptor (40/42mm) & Pipe	WAS090 STAND PIPES Over Edge 630mm	WAS099 Pair Of Flexible Supply Tubes For Standpipes	WAS120 PUSH DOWN CP Waste	WAS220 PUSH DOWN CP Waste For THINN BASINS Only Unslotted
BAS010 Viado 1780 x 800 x 600 c/w fitted waste	X	✓	✓	85	X	X	X	X	X	X	X	X	✓	✓	X	X
BAS005 Viado 1580 x 740 x 570 c/w fitted waste	X	✓	✓	85	X	X	X	X	X	X	X	X	✓	✓	X	X
BAS012 Dinkee 1500 x 780 x 660 c/w fitted waste	X	✓	X	120	X	X	X	X	X	X	X	X	✓	✓	X	X
BAS014 Dinkee Eco 1500 x 780 x 660 c/w fitted waste (140 Litre Fill)	X	✓	X	120	X	X	X	X	X	X	X	X	✓	✓	X	X
BAS015 Chalice Major 1780 x 950 x 560 c/w fitted waste	X	✓	✓	100	X	X	X	X	X	X	X	X	✓	✓	X	X
BAS016 Chalice Minor 1650 x 900 x 590	X	✓	X	120	X	X	X	X	X	X	X	X	✓	✓	X	X
BAS020 Ovali 1805 x 850 x 600 c/w fitted waste	X	✓	X	125	X	X	X	X	X	X	X	X	✓	✓	X	X
BAS025 Angilo 1780 x 800 x 600 c/w fitted waste	✓	✓	✓	85	X	X	X	X	X	X	X	X	✓	✓	X	X
BAS030 Parama 1800 x 800 x 580 no taps c/w fitted waste	X	✓	✓	95	X	X	X	X	X	X	X	X	✓	✓	X	X
BAS035 Slipp 1589 x 680 x 700 No Overflow (supplied c/w WAS120)	X	✓	✓	70	X	X	X	X	X	X	X	X	✓	✓	X	X
BAS040 Plaza 1780 x 800 x 540 c/w fitted waste	X	✓	✓	95	X	X	X	X	X	X	X	X	✓	✓	X	X
BAS045 Durata Wall Mounted 1830 x 920 x 610 - No Waste Supplied	✓	X	✓	105	X	X	✓	✓	✓	X	X	X	✓	✓	X	X
BAS050 Durata Free standing 1830 x 920 x 610 - No Waste Supplied	✓	X	✓	105	X	X	✓	✓	✓	X	X	X	✓	✓	X	X
BAS055 Ancora (D) Bath with thin front - No Waste Supplied	✓	X	✓	110	X	X	✓	✓	✓	X	X	X	✓	✓	X	X
BAS063 1580mm Double Skinned Acrylic Boat Bath - No Waste Supplied	X	X	X	155	Paint	X	✓	✓	✓	✓	X	✓	✓	✓	X	X
BAS065 1700mm Double Skinned Acrylic Boat Bath - No Waste Supplied	X	X	X	160	Paint	X	✓	✓	✓	✓	X	✓	✓	✓	X	X
BAS070 1800mm Double Skinned Boat Bath - No Waste Supplied	X	X	X	160	Paint	X	✓	✓	✓	✓	X	✓	✓	✓	X	X
BAB005 WHITE Kurv Bath Without Plinth with Integral Overflow	X	✓	✓	40	Matt	X	X	X	X	X	X	X	✓	✓	✓	X
BAB010 WHITE Tasse Bath 1770mm	X	✓	X	110	Matt	X	X	X	X	X	X	X	✓	✓	✓	X
BAB011 STONE Cian Tasse Bath WITHOUT Overflow	X	✓	X	110	X	X	X	X	X	X	X	X	✓	✓	✓	X
BAB015 WHITE Feng Bath With Integral Overflow	X	✓	X	120	Matt	X	X	X	X	X	X	X	✓	✓	✓	X
BAB020 WHITE Delicata Bath 1520mm	X	✓	X	120	Matt	X	X	X	X	X	X	X	✓	✓	✓	X
BAB025 WHITE Shui Bath With Integral Overflow	X	✓	X	120	Matt	X	X	X	X	X	X	X	✓	✓	✓	X
BAB031 WHITE Aurelius SLIPPER Bath With Integral Overflow	X	✓	✓	90	X	X	X	X	X	X	X	X	✓	✓	✓	X
BAB034 WHITE MAXIMUS Bath With Integral Overflow	X	✓	✓	90	X	X	X	X	X	X	X	X	✓	✓	✓	X
BAB035 WHITE Casini Bath Without Overflow Matt Exterior Gloss In	X	✓	X	120	X	X	X	X	X	X	X	X	✓	✓	✓	X
BAB037 WHITE ROUNDELL Bath With Integral Overflow	X	✓	✓	75	Matt	X	X	X	X	X	X	X	✓	✓	✓	X
BAB040 WHITE PARADISE Freestanding Bath	X	✓	X	110	X	X	X	X	X	X	X	X	✓	✓	✓	X
BAB045 WHITE Senator Freestanding Bath	X	✓	X	100	X	X	✓	X	X	X	X	X	✓	✓	X	X
BAB049 WHITE Fitzroy Bath	✓	X	X	130	Matt	✓	✓	✓	✓	✓	✓	✓	✓	✓	X	X
BAB060 WHITE ORCHID Freestanding Bath	X	✓	X	110	X	X	X	X	X	X	X	X	✓	✓	✓	X
BAB062 WHITE GIO Bath With Overflow	X	✓	✓	90	Matt	X	X	X	X	X	X	X	✓	✓	✓	X
BAB064 WHITEVIVE Bath With Overflow	X	✓	✓	90	Matt	X	X	X	X	X	X	X	✓	✓	✓	X
All Cian Basins	X	X	X	N/a	Matt	X	X	X	X	X	X	X	X	X	X	✓
EXCELSIOR Aluminium Bath With Plinth	X	X	✓	90	Paint	✓	X	✓	✓	✓	✓	✓	✓	✓	X	X
EXCELSIOR Aluminium Bath With Polished Feet	X	X	X	120	Paint	✓	X	✓	✓	✓	✓	✓	✓	✓	X	X
EXCELSIOR Acrylic Bath With Plinth	X	X	✓	90	Paint	✓	X	✓	✓	✓	✓	✓	✓	✓	X	X
EXCELSIOR Acrylic Bath With Polished Feet	X	X	X	120	Paint	✓	X	✓	✓	✓	✓	✓	✓	✓	X	X
BOAT Bath Aluminium	X	X	X	130	Paint	✓	✓	✓	✓	✓	✓	✓	✓	✓	X	X


The Bathroom & Shower SAFE Lighting Guide



Mirror, Sockets & Pull Switches

This guide is designed to help you in selecting safe lighting for your bathroom, shower or sauna. In fact any area inside the home that may potentially come into contact with water. BC Designs are leading suppliers of Splashproof and Jetproof IP rated lighting.

To find out more, please study the Lighting ZONE Guide below.



Elevation view of bath tub

Plan view of bath tub

Plan view of shower

BS 7621:2008 Requirements for Electrical Installations, IEE Wiring Regulations 17th Edition was published in January this year. Installations designed after the 30th June 2008 are to comply with BS 7671:2008 (for more information visit www.theiet.org).

The above information is intended as a simple guide only. BC Designs takes no responsibility for incorrectly installed luminaires. Any final decisions about installation should be taken by a qualified electrician.

The zone system

For the purposes of safe lighting, the bathroom or shower area is divided into ZONES. The zones are numbered according to the distance away from a source of water:

- zone 0** **Zone 0 Suitable for Zone 0 (IP68 submersible to 9 metres)**
The ultimate in watertight fittings. Suitable for saunas, steam rooms or to be mounted underwater (down to 9 metres).
- zone 1** **Zone 1 Suitable for Zone 1 (IP65 jetproof)**
Should be fitted where the fitting may be subjected to a jet of water; for example from a shower handset.
- zone 2** **Zone 2 Suitable for Zone 2 (IP44 splashproof)**
Should be fitted wherever the fitting may be splashed. Anywhere within 0.6 mtrs of a basin or similar water source.
- other areas** **Suitable for Other Areas**
For all other areas where jets or splashes of water will not occur.

magnifying mirror

Ip44 splashproof
c/w
1 x 22 watt
low energy lamp
3 x magnification

diameter of the mirror: 220mm
max. extension: 310mm
baseplate diameter: 150mm

Swivel arm and pullswitch
Code: FML255



shaver sockets other areas

standard rounded shaver socket
dual voltage 240v / 110v

available chrome only
width: 90mm
height: 150mm

chrome

Code: SS010



flat front shaver socket

dual voltage 240v / 110v
available chrome only
width: 88mm
height: 148mm

Code: SS015

Depending on supply, front plate may differ from the one shown.



new dimension screwless shaver socket

dual voltage 240v / 110v
available chrome only
width: 90mm
height: 150mm

Code: SS020



Pull switches other areas

width: 100mm
max drop: 1.5m

chrome

gold / nickel

(price includes pull knob and string connector & white china backplate). Please specify plain or traditional ornate backplate when ordering.

extras for all pull switches (if bought separately)

string connectors
chrome

gold / nickel



standard knob
chrome

gold / nickel

maxim knob
chrome

gold / nickel

Led Lights

other areas

- zone 1
- zone 2
- zone 0



IP68 GL040 SPOT light

The GL040 is the most powerful LED ground or wall light from BC Designs so far: 3 power LEDs combine to create a strong light output, whilst minimising power consumption. A long maintenance free life is assured, and with its robust stainless steel construction, the GL040 will remain looking great for many years to come. A low profile design and simple wing springs ensure installation is quick and easy.


Can be mounted in walls, floors or ceilings and are fully submersible.
Code: LED14 + Colour

Use with power supplies PLU/350 1-9
Maximum 3 fittings
Code: LED912


IMPORTANT
this product will be destroyed immediately if not used in conjunction with 350mA power supply. Do not use with constant voltage driver or transformer




NEUTRAL WHITE WARM WHITE BLUE



Please note: Warm White gives out approx. 70% brightness of Neutral White



Cut out size 65mm



other areas

- zone 1
- zone 2
- zone 0




IP68 GL050 FROSTED light

Elegance and performance. GL050 is designed to deliver both. 3 power LEDs provide a strong light, whilst the special lens creates a classy lighting effect and prevents dazzling of the eye.

Can be mounted in walls, floors or ceilings and are fully submersible.
Code: LED15 + Colour

Use with power supplies PLU/350 1-9
Maximum 3 fittings
Code: LED912

IMPORTANT
this product will be destroyed immediately if not used in conjunction with 350mA power supply. Do not use with constant voltage driver or transformer



Cut out size 65mm

Led Lights

zone 1

LED Lyte IP IP65

Suitable for zone 1

The LED LYTE IP is a popular choice for lighting effects. This IP65 version features an updated look, high performance light output, and fully waterproof aluminium housing.


This mini LED can be fitted into walls or used as a downlighter and is fully jet proof.

Please note this fitting is not suitable for floors where water will pool permanently.


Giving an equivalent output of 9.5W

Made in brushed aluminium finish
Code: LED2 + Colour

Use with power supplies:
Code: LED911




NEUTRAL WHITE WARM WHITE BLUE



RED GREEN AMBER

Wiring diagrams



LED Lyte 1m EXT



LED Lyte 1m Extension
For easy installation, link your units together with the LED 1m extension.

Code: LED948

zone 0



IP68 LED daisy lights

IP68 to 1 bar water pressure down to 9 m water


low profile 1 watt LED light for use as step light, ground light or downlight in interior, exterior and submerged (zone 0) situations clear epoxy lens.

Only available in neutral white.
Code: LED10 + Colour

Wire in series. If used in zone 0 or zone 1 must be wired in conjunction with power supply PLR 1-5 (supports up to 5 units)

1m x 0.35mm red & black teflon cable supplied

Power supply for this item (runs up to 5 units)
Code: LED910



Cut out size 25mm

WHITE ONLY


zone 0

IP68 LED GL040 RGB colour change light



- supplied with 2 x 1m 4-core PVC cable
- use with IR2 Controller or DMX CWM01 to achieve colour change requirements - see page 23 for details
- up to 9 GL040 RGB per RGBBox
- beam angle 45°
- this is marine grade stainless steel

Code: LED145



To use this RGB fitting you have a choice of 2 systems:

- | | |
|--|---|
| <p>Ir2 infrared RGB Controller or DMXT Touch Controller</p> <ul style="list-style-type: none"> + Ir2 infrared RGB Controller with power source (must be used with Ir2 Remote Control included in the box)
Code: LED955 + RGB Box
Runs 9 x GL040 or 4 x GL050
Code: LED952 | <ul style="list-style-type: none"> + DMXT wall mounted controller
Code: LED960 + DMX I interface
Code: LED967 + RGB Box Runs 9 x GL040 or 4 x GL050
Code: LED952 |
|--|---|

IMPORTANT

this product will be destroyed immediately if not used in conjunction with 350mA power supply. Do not use with constant voltage driver or transformer


zone 0

IP68 LED GL050 RGB colour change light



- supplied with 2 x 1m 4-core PVC cable
- use with IR2 Controller or DMX CWM01 to achieve colour change requirements - see page 23 for details
- up to 4 GL050 RGB per RGBBox
- Please Note: because of the frosted lens the GL050 gives out approx 50% of the brightness of the GL040

Code: LED156



To use this RGB fitting you have a choice of 2 systems:

- | | |
|--|---|
| <p>Ir2 infrared RGB Controller or DMXT Touch Controller</p> <ul style="list-style-type: none"> + Ir2 infrared RGB Controller with power source (must be used with Ir2 Remote Control included in the box)
Code: LED955 + RGB Box
Runs 9 x GL040 or 4 x GL050
Code: LED952 | <ul style="list-style-type: none"> + DMXT wall mounted controller
Code: LED960 + DMX I interface
Code: LED967 + RGB Box Runs 9 x GL040 or 4 x GL050
Code: LED952 |
|--|---|

other areas


RGB BOX colour changing controller

To use this colour changing controller you have a choice of 2 systems:

Use in conjunction with the RGBBox IR-2 Control OR the DMX CWM01 wall mounted controller plus interface

- each unit will power up to 9 RGB sets (27 LED in total)
- link together up to 10 units to control 90 Luxeon 1w RGB sets
- supplied with Plug and Play lead
- input voltage: 190-260v 0.15A max (32w max)
- output voltage: 3 x 350mA

RGB BOX
Code: LED952



RGB BOX IR-2 CONTROL

350mA dimming driver

- control your colour change scenes remotely
- control up to 10 RGBBoxes (up to 20 LED POWER RGB, up to 90 LED 3 RGB)
- use in conjunction with RGBBox



Code: LED955

The Magic Eye Sensor comes with white housing only. Sensor must be fitted outside zones 0, 1 and 2.

DMX I interface

To use the DMXT controller the DMX I interface is always necessary.

DMX I
Code: LED967



DMXT colour changing wall mounted controller

Supplied with silver AND white plastic frames

The DMXT is a simple to use touch sensitive controller featuring 8 functions including a colour wheel giving you the option to create the colour you wish.



Modes available:

- On/Off
- Master Dimmer
- Colour cycle,
- Primary colours & white
- Memory Function ..
- Stores up to 6 presets.

Input: 220-240V to power supply (supplied with DMXT)

Output: DMX 512

Dimensions:w 120mm h 85mm

Fitting: Single recessed pattress box (min. depth 30mm)


It is not suitable for fitting to a surface mounted pattress box.

For use with our GLO40 RGB and GLO50 RGB IP68 colour changing LED's IP20 Controller needs to be fitted outside Zones 1 and 2

DMXT CONTROLLER
Code: LED960

zone 0

NEUTRAL WHITE BLUE



IP68 LED GL019 SQ Flood lights

45° flood lens.
up to 65 LUX at 1m with white LED.
in neutral white or blue colours only

Code: LED19SQ + Colour

Uses same power supply as GL019
Wire in series

IMPORTANT
this product will be destroyed immediately if not used in conjunction with 350mA power supply. Do not use with constant voltage driver or transformer

zone 0

IP68 LED GL019 lights

IP68 to 1 bar water pressure down to 9 m water

1 watt LED light for use as step light, ground light or downlight in interior, exterior and submerged (zone 0) situations.

Choice of 6 LED colours in steel fixing
marine grade stainless steel
5mm toughened walkover glass sealed for life

GL019 spot

12° spot lens.
up to 300 LUX at 1m with white LED.
Code: LED19S + colour

GL019 flood

45° flood lens.
up to 65 LUX at 1m with white LED.
Code: LED19F + colour

Wire in series. To be used with power supply PLR/350 1-5 (supports up to 5 units)

1m x 0.35mm red & black teflon cable supplied

width 40mm cut-out 31 depth 35mm

IMPORTANT

this product will be destroyed immediately if not used in conjunction with 350mA power supply. Do not use with constant voltage driver or transformer

power supply for this item (runs up to 5 units)
Code: LED910


GL019 ST with thread (spot only)

LED light with thread and nut fitting ideal for submerged (zone 0) situations can be mounted in tiles, baths or panels choice of white or blue LEDs in steel fitting


Code: LED19ST




NEUTRAL WHITE WARM WHITE BLUE



RED GREEN AMBER



Cut out size 33mm



JB1 parallel or JB2 series waterproof junction box

PLEASE STATE PARALLEL OR SERIES WIRING

For parallel or series wiring of LED fittings. One input and one to three outputs. Cable diameter 6.5-8.8mm. Wiring may be wired to additional JB1 or JB2 boxes

Code: JB1 is LED900 JB2 is LED901



other areas



PDC dimmer module for series wired LEDs

Incorporated dimmer switch and ON/OFF feature
Fits in most standard wall boxes (not supplied) dimmer for use with PLD UNIDRIVE 350mA dimming driver

Code: LED940



UY2 quick waterproof connector

Insert wires into holes until resistance then push down on button

Use CR135 cable 0.35mm2
Low voltage only

Code: LED950


other areas



PLD UNIDRIVE 350mA dimming driver


Direct constant current power supply
No terminal covers: Must be built in
Protected against: Mains surge, Short circuit, Over-load, Over heating Power 1-9 3w LED's at 700mA with 220-240 input voltage
Dimmable by mains push to make or 1-10v
Synchronise up to 10 units for dimming
Push fit wiring terminals (max wire 1.5mm²)
Input voltage: 100-240v AC 50/60HZ

Code: LED921



CR 135 teflon cable

red or black Teflon cable
HO5RN-F
1 x 0.35mm2
supplied in 100m reels
also available by the metre
Code: LED95 + colour



DMX CABLE shielded cable

shielded twisted pair cable
suitable for DMX signal wiring.

Code: LED964



Ledseal NEW LED Downlight

zone 1

zone 2

BC believes the fire-rated BC Designs' LEDSEAL DOWNLIGHT is the nearest thing to a halogen downlight on the Market

- It looks like a halogen
- It gives the same colour light as a halogen
- It is dimmable (to 30%)
- The fixed Downlight is IP65 (Jetproof)
- Run 6 LEDSEALS for the same cost as 1 x 50 watt mains halogen light




COB gives clear imaging!



no ripple curve
easy on the eyes




Looks like a Halogen Light



Front cover is removable
for a clean finish when painting
(Fixed version only)

EASY-WIRING TERMINAL BLOCK

1. Quick fit cable terminal block
2. Terminal block allows loop-in/loop out wiring
3. Inner cable grip securely fixes cables



LED downlights last up to 30 times longer than standard Halogen. Saving time money and maintenance.





Code Chrome: ADE315
Code White: ADE316

Ledseal chrome fixed

Ledseal IP65 LED Downlight in chrome or white

Features include:

- ready-wired LED driver
- Fire-Rated Zone 1
- IP65 Jetproof
- Dimmable to 30%
- Part B, C, E, L & P compliance
- Only 8W power consumption
- Straight to mains connection
- 34° beam angle
- Brighter than a 50W GU10
- Easy terminal push-fit
- 5-year guarantee



Cut-out 69mm
Light output:
warm white
(3000° kelvin)





Code Chrome: ADE310
Code White: ADE311

Ledseal chrome tilting

Ledseal IP20 LED Downlight in chrome or white, suitable for outside areas

Features include:

- ready-wired LED driver
- Fire-Rated
- IP20 other areas
- Dimmable to 30%
- Part B, C, E, L & P compliance
- Only 8W power consumption
- Straight to mains connection
- 34° beam angle
- Brighter than a 50W GU10
- Easy terminal push-fit
- 5-year guarantee



Cut-out 79mm
Light output:
warm white
(3000° kelvin)

Fire-rated Downlights

other areas



Fire rated twistlock downlights

Fire and acoustic barrier downlights in accordance with new building regulations: BS476: Part 21: 1987 and Part E :Appendix F

No need for additional fire hood, an all in one solution.

chrome or white finishes only width: 87mm cut-out: 72mm

12 volt option including 50w GU5.3 lamp and 60VA transformer

Code: ADE005 Chrome
ADE105 White

other areas



Fire rated twistlock tilting downlights

12 volt option including 50w

GU5.3 lamp and 60VA transformer width: 95mm cut-out: 84mm

twistlock tilt

chrome or white finishes only width: 95mm cut-out: 84mm

Code: ADE010 Chrome
ADE110 White

zone I



Fire rated IP65 jetproof showerlights

IP65 jetproof showerlight suitable for bathroom zone I

Fire and acoustic barrier downlights in accordance with new building regulations: BS476: Part 21: 1987 and Part E :Appendix F

No need for additional fire hood, an 'all in one' solution.

chrome or white finishes only width: 87mm cut-out: 73mm

12 volt option

including 35w GU5.3 lamp and 60VA transformer

Code: ADE015 Chrome
ADE115 White

T&Cs information

Terms of Trading

BC Designs will not normally sell directly to the consumer, for this reason our published terms and conditions relate to the supply of goods to retail outlets. Therefore terms and conditions applicable to the end user are also those offered by the outlet from where you purchase the item and may vary. For this reason end users should always refer any issue to the point of purchase in the first instance.

Guarantee and Warranty

We offer a 1 year guarantee against manufacturing faults on all of the Lighting products in this Brochure.

We offer a 10 Year Guarantee on our unique range of baths and chinaware subject to the End-User completion of our Guarantee Registration Form supplied with the product.

In either instance all products must be fitted in accordance with both the instructions and relevant regulations and be for normal domestic use only. We do not cover products against fair wear and tear, misuse, incorrect usage, incorrect installation, incorrect specification, malicious or accidental damage, negligence, or lack of servicing. In all cases guarantees and warranties are not transferable and proof of purchase will be required to validate any claim.

No claim greater than the purchase price paid to BC Designs or for consequential loss will be entertained by BC Designs except where negligence on the part of BC Designs is proven.

Printing Accuracy

Prices are for guidance and are correct at the time of printing, but do not constitute a formal offer as prices may have to change due to unforeseen circumstances. Accordingly prices are those ruling at date of despatch.

Photographs in this brochure are studio posed in a setting to demonstrate the ambience of the main product featured unless otherwise stated. All other items featured are photographers props and we are unable to advise on them. Photographs do not necessarily reflect all pipework and plumbing that may be necessary for installation of the product.

Availability

We aim to maintain stock of all items in this brochure at all times. However, the majority of items contained herein are produced in small volume and in specialist circumstances and can therefore be affected by significant lead times. Availability should be checked at the time of ordering, and before making any commitment to installation.

Measurements and Specs

All measurements are given for guidance only. Variation may occur either due to manufacturing tolerances, specification change, error or omission. For this reason it is recommended to check critical dimensions with BC Designs prior to ordering. BC Designs will not accept any liability where there is no prior written advice of critical requirements. We reserve the right to change specifications at any time.

Returning Goods

Items which are unsuitable or not required may be returned subject to the following conditions:-

- 1) BC Designs must be contacted prior to any item being returned and returns documentation obtained. BC Designs cannot accept responsibility for items returned where this requirement is not complied with.
- 2) When contacting BC Designs the original BC Designs invoice number must be quoted, without this we regret we are unable to accept any item back.
- 3) Unwanted items must be in perfect re-saleable condition. We will not accept items for return which have been fitted, used or are other than in the condition in which they were supplied.

- 4) The retail packaging of returned items must be unmarked, and in good condition. For this reason it is wise to retain all packaging materials and to open packages with care.
- 5) The cost of the returning goods for any reason other than a genuine manufacturing fault is not the responsibility of BC Designs, in all cases a charge of 25% may be levied to cover costs incurred in return.
- 6) In selecting a suitable method for return, consideration should be given to proper insurance, as BC Designs will not accept liability for goods damaged in transit.
- 7) Responsibility for packaging in a suitably robust fashion lies with the sender. If there is any doubt what a "suitably robust fashion" means please contact us for specific packing advice.
- 8) Items damaged in transit will not be accepted for refund/credit.
- 9) In the event that an item is received damaged BC Designs will notify the sender and document the damage. The item and the documentation will be retained for 14 days, after which time the item may be disposed of without further reference to the sender.

Authenticity

It is in the nature of some items in this brochure, that they are made using techniques rarely in common usage today. This is to recreate an authentic period look, which should not be confused with mass produced featureless product and thus construed as imperfect.

Delivery

We use third party carriers and a basic two day service for all deliveries. With the exception of overseas and outlying areas all deliveries within Mainland Britain which are at a value higher than **£95.00** net and to a commercial address open between 8am & 5:30 pm will be delivered free of charge. Orders for less than **£95.00** will incur a **carriage charge of £7.95** to a commercial address (as described) and £10.95 to non commercial. For larger items we do check circumstances prior to despatch, and therefore reserve the right to levy additional charges in the event that delivery is refused or the information received is incorrect.

We can offer some flexible alternatives to this BASIC service, but those alternatives will incur additional charges. Please contact our sales office with your requirements and a quote should you require additional services, including timed deliveries, next day, Saturday, or delivery to a private address.

Damage in Transit

We do not use our own transport. Therefore there is a limited time in which we can make a claim for any damage in transit against carriers. For this reason outer packaging should be inspected for obvious signs of damage before accepting delivery, and regardless all items should be opened and inspected within 3 days of receipt. We cannot accept claims for damage in transit after this, nor will we accept any responsibility once goods have been passed to a third party without prior inspection. It is the responsibility of the Showroom to inspect the goods BEFORE they deliver to a customer.


Inspection

BC Designs maintain an inspection regime on all goods that we ship out and considerable care is taken to present them in good condition for your pleasure. We do also photograph all higher value items prior to shipping so as to avoid disputes over what has been received etc., these pictures are retained for 1 year after shipment.

Your rights

Your statutory rights are unaffected by all of the above. Full Terms and Conditions are available on request.

bc designs
MARCH 2014 GUIDE



The Design Works, Allens Farm, Tye Road,
Elmstead Market, Essex CO7 7BN

Tel: 01206 827100

Fax: 01206 827800

Email: sales@bcdesigns.co.uk

www.bcdesigns.co.uk

www.bathroomlighting.co.uk